PGPUB-DOCUMENT-NUMBER: 20020170666

PGPUB-FILING-TYPE:

new

DOCUMENT-IDENTIFIER:

US 20020170666 A1

TITLE:

Method for inductively

heating a substrate and a

coating on a substrate

PUBLICATION-DATE:

November 21, 2002

INVENTOR - INFORMATION:

NAME

CITY

COUNTRY STATE

RULE-47

Tathgur, Amarjit

Brampton

Tailor, Dilip K.

Brampton

Etobicoke

Seepersaud, David CA

US-CL-CURRENT: 156/289, 156/85

CLAIMS:

- Method for heating a substrate and a coating on said substrate comprising applying on the coating a susceptor element, wherein said susceptor and substrate are inductively heatable, and inductively energizing the element and substrate to cause said substrate and coating to be heated.
- Method as claimed in claim 1 wherein a heat insulation material is provided on an outer side of the susceptor element.

- 3. Method as claimed in claim 1 wherein a inner heat insulation material is interposed between the susceptor element and the coating.
- 4. Method as claimed in claim 5 wherein the inner insulation material includes a release layer.
- 5. Method as claimed in claim 1 wherein the susceptor is perforate or foraminous.
- 6. Method as claimed in claim 1 wherein the susceptor element provides an open circuit.
- 7. Method as claimed in claim 1 wherein the susceptor element provides a closed circuit.
- 8. Method of repairing an opening in a coating on a substrate comprising heating said coating employing a heating method as claimed in any of claim 1 to heat the coating before applying a patch.
- 9. Method as claimed in claim 8 comprising heating said coating to at least an activation temperature for said patch or for a coating on said patch.
- 10. Method as claimed in claim 8 wherein the substrate is a tubular article and the susceptor element is curved to conform to a surface curvature of the article.
- 11. Method of applying a coating or covering to a weld joint between tubular

substrates each having a mainline coating, comprising heating said substrates and coatings employing a heating method as claimed in claim 1 before applying said coating or covering.

- 12. Method as claimed in claim 11 wherein said covering comprises a heat shrink sleeve and said heating method comprises heating each mainline coating adjacent the weld joint, and wherein each susceptor element comprises a band form element applied around the girth of the mainline coating of the tubular substrate adjacent the weld joint.
- 13. Method as claimed in claim 12 including heating each coating and substrate adjacent the weld joint to at least an activation temperature for the sleeve or for a coating on the sleeve.
- 14. Method as claimed in claim 1 wherein the coating comprises polyolefin.
- 15. Method as claimed in claim 14 wherein the polyolefin is polypropylene.

(19) World Intellectual Property Organization International Bureau



K 1801/2 BURK 1981 II BURK BURK HIKI 1911 III BURK 1981 BURK HIKI BURK 1981 BURK 1981 BURK 1981 III BURK 1981

(43) International Publication Date 11 July 2002 (11.07.2002)

PCT

(10) International Publication Number WO 02/053343 A1

- (51) International Patent Classification⁷: B29C 35/08, 63/42 // F16L 58/18, 58/10, B29K 105:02, B29L 23:00
- (21) International Application Number: PCT/CA01/01771
- (22) International Filing Date:

13 December 2001 (13.12.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

2,328,578

15 December 2000 (15.12.2000)

- (71) Applicant: SHAWCOR LTD. [CA/CA]; 25 Bethridge Road, Toronto, Ontario M9W 1M7 (CA).
- (72) Inventors: TATHGUR, Amarjit; 766 Peter Robertson Boulevard, Brampton, Ontario L6R 1T9 (CA). TAILOR, Dilip, K.; 22 Torrance Woods, Brampton, Ontario L6Y 2T2 (CA). SEEPERSAUD, David; 153 Upper Humber Drive, Etobicoke, Ontario M9W 7B7 (CA).
- (74) Agent: HOLLAND, Philip, K.; RIDOUT & MAYBEE, Suite 2400, One Queen Street East, Toronto, Ontario M5C 3B1 (CA).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR INDUCTIVELY HEATING A SUBSTRATE AND A COATING ON SAID SUBSTRATE



(15, Abstract: A method of heating a substrate (11, 12) and a coating (14, 16) on the substrate (11, 12). A susceptor element (22) is applied on the coating (14, 16) and the element (22) and the substrate (11, 12) are inductively energized to cause the substrate (11, 12) and the coating (14, 16) to be heated.

INTERNATIONAL SEARCH REPORT

Inter nal Application No PCT/CA 01/01771

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B29C35/08 B29C63/42 //F16L58/18,F16L58/10,B29K105:02, B29L23:00			
According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system followed by classification symbols) IPC 7 F16L B29C B29B			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched			
Electronic data base consulted during the International search (name of data base and, where practical, search terms used)			
EPO-Internal, WPI Data, PAJ			
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.
х	PATENT ABSTRACTS OF JAPAN vol. 016, no. 153 (M-1235), 15 April 1992 (1992-04-15) -& JP 04 007124 A (DAI ICHI HIGH FREQUENCY CO LTD;OTHERS: 01),		1,6,7, 10,14,15
,	10 January 1992 (1992-01-10)		
A	abstract		2-5,8,9, 11-13
A	EP 0 222 643 A (HUTCHINSON) 20 May 1987 (1987-05-20) claims 1,3,6; figure 3		1-15
		-/	
1		,	
Further documents are listed in the continuation of box C. X Patent family members are listed in annex.			
* Special categories of cited documents: "T" later document published after the international filling date			
'A' document defining the general state of the art which is not considered to be of particular relevance or priority date and not in conflict with the application but considered to be of particular relevance invention			
'E' earlier document but published on or after the International filing date 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to			
'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the			aimed invention
O document referring to an oral disclosure, use, exhibition or document is combined with one or more other such document of the means document is combination being obvious to a person skilled			
P document published prior to the international filing date but later than the priority date claimed table table. *A' document member of the same patent family			amily
Date of the actual completion of the international search Date of mailing of the international search report			
26 March 2002		04/04/2002	
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk	Authorized officer	
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 Carré, J			

Form PCT/ISA/210 (second sheet) (July 1992)